1 of 1

EAST Search History   (Interference Search)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(extend$4 adj address$4) and device$1 and (slot adj adress$4) and depth and topolog$4 and (locat$4 or reside$3 or position or layer).clm.	US-PGPUB	OR	OFF	2006/03/01 13:29
L3	1	(extend$4 adj address$4) and device$1 and depth and topolog$4 and (locat$4 or reside$3 or position or layer).clm.	US-PGPUB	OR	OFF	2006/03/01 13:29

3/1/06 — TH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	63	((assign$6 or allocat$5) same topolog$1 same address$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:32
L5	41	L4 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L6	81	((assign$6 or allocat$5) same topolog$5 same address$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L7	50	L6 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
L8	382	((assign$6 or allocat$5) same topolog$5 same address$4).bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:35
L9	236	8 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:36
L10	38	9 and ((depth or layer or reside$2 or locat$4 or position) with topolog$4 with address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43
L11	1219	((assign$6 or allocat$5) same topolog$5 same address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43
L12	161	11 and ((depth or layer or reside$2 or locat$4 or position) with topolog$4 with address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:45
L13	95	12 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:42
L14	8005	(370/389,392-393,409,475).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:42
L15	44	14 and ((depth or layer or reside$2 or locat$4 or position) with topolog$4 with address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:44
L16	111	14 and ((assign$6 or allocat$5) same topolog$5 same address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:43

L17	57	16 and ((depth or layer or reside$2 or locat$4 or position) same topolog$4 same address$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:44
S3	60	((assign$6 or allocat$5) same topolog$1 same address$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 18:34
S4	40	S3 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 18:34
S5	78	((assign$6 or allocat$5) same topolog$5 same address$4).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/03/01 13:33
S6	49	S5 and @AD<"20020204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/12 19:55

3/1/2006 TH